

Site configuration:

```
A .htaccess file in the top-level folder contains the following instructions:  
# Go to the specially provided Error 404 page on Error 404 (page not found)  
ErrorDocument 404 https://suttonpoyntz.org.uk/index.php/error-404  
  
# Force the whole site to use HTTPS encryption  
RewriteEngine On  
RewriteCond %{HTTPS} !=on  
RewriteRule ^(.*)$ https://%{HTTP_HOST}%{REQUEST_URI} [L,R=301]
```

Templates:

The site is based on the Cassiopeia template, which is an integral part of Joomla 4.
We created a child template, called site1, which is used throughout the website.
This child template has the following changes, compared with the basic Cassiopeia template:

- Settings

```
Brand - No  
Sticky header - Yes
```

- error.php - add the following, to use own error-404 article for error 404 handling

```
if (!isset($this->error))  
{  
    $this->error = JError::raiseWarning(404, JText::_('JERROR_ALERTNOAUTHOR'));  
    $this->debug = false;  
}  
  
/** If applicable, go to our own Error 404 page */  
if (($this->error->getCode() == '404') {  
    header('Location: /index.php/error-404');  
    exit;  
}  
}
```

- user.css - special CSS styling, as follows (but for efficiency I have not included the CSS comments):

```
/* Set colour for links */  
:root {--cassiopeia-color-link:#0b57d0;}  
  
/* Link underlining - In Footer always underlined, otherwise underlined when hovered */  
a:not([class]) {text-decoration:none;}  
.footer a {text-decoration:underline;}  
a:hover {text-decoration:underline;}  
/* Link colours */  
    /* Default colour for hovered ordinary links */  
a:not(.btn):hover {color:var(--cassiopeia-color-link);}  
    /* Different colour in Main Menu top level and in Footer */  
.container-header .mod-menu > li > a:hover {color:#a0a0ff;}  
.footer a:hover {color:#a0a0ff;}  
    /* Default colour for Main Menu level 2 items */  
.container-below-top a, .container-below-top a:hover {color:var(--cassiopeia-color-link);}  
  
/* This corrects an oddity in Cassiopeia, that in wide windows, hovered links are not underlined */  
@media (min-width: 992px) {  
    .container-header .metismenu > li.level-1.active > a, .container-header .metismenu > li.level-1.active > button,  
    .container-header .metismenu > li.level-1 > a:hover,  
    .container-header .metismenu > li.level-1 > button:hover {  
        text-decoration: underline;  
    }  
}  
  
/* This section controls how the main section header pages display a background image, with text on top. */  
/* We also give direct style definitions for the following:  
    .overlay_img2 {min-height:<some value>;}  
and sometimes
```

```

        .overlay_txt {background-color:<some-value>;} /*
/* There were some other direct style definitions, which can be removed after a time */
.overlay_cont {position: relative; top: 0; z-index:1; margin:auto; max-width:1000px; background-
color:#304830;}
.overlay_img2 {position:relative; top:0; z-index:-1; width:100%;}
.overlay_img2 img {width:100%;}
.overlay_btm {position: relative; bottom:0; font-size:8px; line-height:8px;}
.overlay_txt {position: absolute; top: 30px; left: 5%; right: 5%; background-color: #1d0e0355;
color: #ffffff; padding-bottom: 10px;}
/* Specifies colour and behaviour of links on section header pages */
.overlay_txt a, {color:#ffffff; text-decoration:underline;}
.overlay_txt a:hover {color:#a0a0ff;}

/* Spacing at bottom of page Header */
.container-header {margin-bottom:0.5em;}
/* Controls behaviour of top part of header, containing Main Menu, Site Title, and Search */
.container-header .container-below-top {padding-top:0; padding-bottom:0; display:flex; flex-
wrap:wrap; justify-content:space-between;}

/* Controls behaviour of Main Menu */
.navbar {align-items:flex-start;}
@media (min-width: 768px) {.navbar-expand-sm, .navbar-expand-md, .navbar-expand-lg, .navbar-
expand-xl, .navbar-expand-xxl, {-ms-flex-wrap: wrap;flex-wrap: wrap;
-webkit-box-pack: justify;-ms-flex-pack: justify;justify-content: space-between;}}
@media (min-width: 768px) {.navbar-expand-sm .navbar-toggler, .navbar-expand-md .navbar-
toggler, .navbar-expand-lg .navbar-toggler, .navbar-expand-xl .navbar-toggler, .navbar-expand-xxl
.navbar-toggler {display: flex;}}
@media (min-width: 768px) {.navbar-expand-sm .navbar-collapse, .navbar-expand-md .navbar-
collapse, .navbar-expand-lg .navbar-collapse, .navbar-expand-xl .navbar-collapse, .navbar-expand-
xxl .navbar-collapse {-ms-flex-preferred-size: 100%;flex-basis: 100%;display: none !important;}}
.container-header .navbar-collapse.show {display: flex !important;}
@media (min-width: 992px) {.container-header .mod-menu {-ms-flex: 1 1 100%;
-webkit-box-orient: vertical;-ms-flex-direction: column;flex-direction: column;}}
.container-header .mod-menu {float:right;}

/* Controls display, when expanded, of Main Menu items */
.metismenu.mod-menu .metismenu-item {font-size: 1rem; line-height: 1.1; padding: 0.5em 1em;}

/* Space above first item of page content */
.container-component > * + *, .container-component > :first-child, .container-sidebar-left > * + *,
.container-sidebar-left > :first-child, .container-sidebar-right > * + *, .container-sidebar-right >
:first-child {margin-top: .5em;}

/* Padding at top and bottom of page Footer */
.footer .grid-child {padding-top: .5em; padding-bottom: 0;}

/* These items vary the font size in section header pages as the window width decreases */
@media (max-width: 576px) {.overlay_txt h1 {font-size:calc(1rem + 2.54vw)}}
@media (max-width: 576px) {.overlay_txt h3 {font-size:calc(0.75rem + 2.13vw)}}
@media (max-width: 576px) {.overlay_txt p {font-size:calc(0.5rem + 1.39vw);}}
/* Sets margin below text paragraphs in section header pages */
.overlay_txt p {margin-bottom:0.2rem;}
/* Redundant - relates to DJ-ImageSlider which is not now used */
.card-body {padding:0}

/* Space between site logo and site name */
.mod_header_logo {margin-right:10px;}

/* Padding above Main Menu (first instruction here seems to be redundant) */
.container-header nav {margin-top:0}
.container-below-top nav, .container-below-top .mod-finder {margin-top:20px;}
/* Controls display of Breadcrumb */
.container-header .container-nav {display:flex; flex-direction:column; flex-wrap:wrap; justify-

```

```

content:space-between; padding-top:0; padding-bottom:0.5em;}
.container-nav .mod-breadcrumbs__wrapper, .container-nav .mod-menu {display:flex;}
.container-nav .breadcrumb-item, .container-nav .mod-breadcrumbs__here, .container-nav .mod-
menu .level-1 {color:#ffffff;}
.container-nav .breadcrumb-item.active {color:#ffffff;}
.container-nav .breadcrumb-item a, .container-nav .mod-menu .level-1 a {color: #ffffff;}
.container-nav .breadcrumb-item a:hover, .container-nav .mod-menu .level-1 a:hover {color:
#a0a0ff;}
/* Colour of level 2 items in Main Menu */
.container-nav .mod-menu .mm-collapse {color:#000000;}
.container-nav .mod-menu .mm-collapse a {color:var(--cassiopeia-color-link);}
.container-nav .mod-menu .mm-collapse a:hover {color:var(--cassiopeia-color-hover); text-
decoration:underline;}
/* Position of items in Events slideshow */
.camera_wrap {margin-left:100px;}
/* Redundant - JEvents not now used */
.jevtt_text .fwb {display:none;}

/* Display of items in file lists */
.easyfolderlisting li {float:left; padding-right:16px;}

/* More on display of Breadcrumb */
.mod-breadcrumbs__wrapper {position:relative;}

.* Controls display of Gallery slides */
slideplus-stripe>div {flex-wrap:wrap;}

/* Site Map line height */
.menu_sitemap {line-height:1;}

/* Make Footer full width */
.footer .custom {width:100%;}

/* Don't display type, author etc. of pages found in Search */
.result taxonomy {display:none;}

```

- Adapted code - An override of file /modules/mod_finder/tmp/default.php was created, and edited so that the Search item on each page appears just as a Search icon, which expands when clicked to show the Search text box. In the code below, text in green has been added and text in purple has been deleted, when compared with the original PHP code.

```

<?php
/**
 * @package Joomla.Site
 * @subpackage mod_finder
 *
 * @copyright (C) 2011 Open Source Matters, Inc. <https://www.joomla.org>
 * @license GNU General Public License version 2 or later; see LICENSE.txt
 */

defined('_JEXEC') or die;

use Joomla\CMS\HTML\HTMLHelper;
use Joomla\CMS\Language\Text;
use Joomla\CMS\Router\Route;

// Load the smart search component language file.
$lang = $app->getLanguage();
$lang->load('com_finder', JPATH_SITE);

$input = '<input type="text" name="q" id="mod-finder-searchword' . $module->id . '" class="js-
finder-search-query form-control" value="" . htmlspecialchars($app->getInput()->get('q', 'string'),
ENT_COMPAT, 'UTF-8') . '"
 . ' placeholder="" . Text::_('MOD_FINDER_SEARCH_VALUE') . '">';

```

```

$showLabel = $params->get('show_label', 1);
$labelClass = (!$showLabel ? 'visually-hidden ' : ') . 'finder';
$label = '<label for="mod-finder-searchword" . $module->id . "' class="" . $labelClass . "'>'.
$params->get('alt_label', Text::_('JSEARCH_FILTER_SUBMIT')) . '</label>';

$output = "";

if ($params->get('show_button', 0)) {
    $output .= $label;
    $output .= '<div class="mod-finder__search input-group">';
    $output .= $input;
    $output .= '<button class="btn btn-primary" type="submit"><span class="icon-search icon-
white" aria-hidden="true"></span> ' . Text::_('JSEARCH_FILTER_SUBMIT') . '</button>';
    $output .= '</div>';
} else {
    $output .= $label;
    $output .= $input;
}

Text::script('MOD_FINDER_SEARCH_VALUE');

/** @var Joomla\CMS\WebAsset\WebAssetManager $wa */
$wa = $app->getDocument()->getWebAssetManager();
$wa->getRegistry()->addExtensionRegistryFile('com_finder');

/*
 * This segment of code sets up the autocompleter.
 */
if ($params->get('show_autosuggest', 1)) {
    $wa->usePreset('awesocomplete');
    $app->getDocument()->addScriptOptions('finder-search', ['url' => Route::_('index.php?op-
tion=com_finder&task=suggestions.suggest&format=json&tmpl=component', false)]);

    Text::script('COM_FINDER_SEARCH_FORM_LIST_LABEL');
    Text::script('JLIB_JS_AJAX_ERROR_OTHER');
    Text::script('JLIB_JS_AJAX_ERROR_PARSE');
}

$wa->useScript('com_finder.finder');

$finderHelper = $app->bootModule('mod_finder', 'site')->getHelper('FinderHelper');

?>

<form class="mod-finder js-finder-searchform form-search" action="<?php echo Route::_($route);
?>" method="get" role="search">

<div class="mod-finder js-finder-searchform form-search">
<button class="navbar-toggler navbar-toggler-right collapsed" type="button" data-bs-
toggle="collapse" data-bs-target="#j4123-search" aria-controls="j4123-search" aria-
expanded="false" aria-label="Toggle Navigation"><span class="icon-search icon-white" aria-
hidden="true"></span></button>
<form id="j4123-search" class="mod-finder js-finder-searchform form-search collapse"
action="<?php echo Route::_($route); ?>" method="get" role="search">

<?php echo $output; ?>

<?php $show_advanced = $params->get('show_advanced', 0); ?>
<?php if ($show_advanced == 2) : ?>
    <br>
    <a href="<?php echo Route::_($route); ?>" class="mod-finder__advanced-link"><?php echo
Text::_('COM_FINDER_ADVANCED_SEARCH'); ?></a>

```

```

<?php elseif ($show_advanced == 1) : ?>
  <div class="mod-finder__advanced js-finder-advanced">
    <?php echo HTMLHelper::_('filter.select', $query, $params); ?>
  </div>
<?php endif; ?>
<?php echo $finderHelper->getHiddenFields($route); ?>
</form>
</div>

```

- Adapted code - file /libraries/src/Filesystem/Folder.php was edited to add an @ symbol before the 3 instances of the set_time_limit instruction, so that the instruction does not generate an error message every time (one.com do not allow this instruction to be executed).
- Adapted code - An override of file /components/com_jdownloads/tmpl/category/default.php was created, and edited so that (a) a folder in the document archive will have its description displayed, as well as its title, and (b) a download file is displayed in the same browser tab, rather than a new tab being created. The two edits are shown here:

(a) (in the Sub Header Section)

```

// Display category title
$cat_subheader = str_replace('{subheader_title}', $this->category->title, $cat_subheader);
// Display category description
$cat_subheader = str_replace('{subheader_description}', $this->category->description,
$cat_subheader);

```

(b) (way down in the section that displays the Downloads list)

```

// Get file extension
$view_types = array();
$view_types = explode(',', $params->get('file_types_view'));
$only_file_name = basename($files[$i]->url_download);
$fileextension = JDHelper::getFileExtension($only_file_name);
if (in_array($fileextension, $view_types)){
    $blank_window = 'target="self";
}

```

To make this work, the jDownloads Downloads template had to be edited, by changing the Subheading Area Layout. This is described below.

- jDownloads Layout - An adapted version of a jDownloads Downloads layout has been created. This is the layout used to display Archive Documents pages. A copy of the standard “Compact Files Layout” was taken, and called “Reduced Files Layout”. Two edits were applied to this layout. First, an instruction was added to the Subheading Area Layout so that the folder description would be displayed along with its title.

```

<div class="jd_cats_subheader" style=""><!--Downloads layout subheader39-->
<div class="jd_subheader_wrap39">
  <div class="jd_cat_subheader_title39" style="">{subheader_title}</div>
  <div class="jd_subcat_count39" style="">{count_of_sub_categories}</div>
</div>
<div class="jd_page_nav39" style="">{page_navigation_pages_counter}{page_navigation}</div>
<div class="jd_sort_order39" style="">{sort_order}</div>
<div class="jd_clear"></div>
<div class="jd_cat_description">{subheader_description}</div>
</div>
<div class="jd_clear"></div>

```

Second, the Main Layout was reduced so as not to display a number of information items.

```

{files_title_begin}<div class="jd_files_title39" style="">{files_title_text}</div><!-- download
title -->{files_title_end}
<div class="{featured_class}" style="width: 100%;">
<!-- download main -->
<!-- download layout with download buttons compact-->
  <div class="jd_left" style="">{file_pic} <b>{file_title}</b> {release}
{pic_is_new} {pic_is_hot} {pic_is_updated}</div>
  <div class="jd_download_url jd_download_url_position" style="">{url_download}</div>
  <div class="jd_rating" style="">{rating}</div>
  <div class="jd_featured_pic" style="text-align:center; float:right; margin:0 10px;">{fea-
tured_pic}</div>
  <div class="jd_clear">
  <div class="jd_tags39 jd_associations">{tags} {show_association}</div>

```

```

</div>
</div>
<!-- download info1 -->
<div class="jd_content_wrapper {featured_detail_class}" style="">
  <div class="jd_clear jd_content_left" style="float:none;">
    <div class="jd_image_right" style="">{screenshot_begin}<a href="{screenshot}" rel="light-
box"></a>{screenshot_end}</div>
    <div class="jd_clear_left" style="">{description}</div>
  </div>
  <div class="jd_clear"></div>
<!-- download info2 -->
<div class="jd_fields_wrapper_outer"><!-- this provides centering of inline blocks -->
  <div class="jd_fields_wrapper_compact" style="">
    <div class="jd_fields_caption_compact" style="">{information header}</div>
    <div class="jd_fields" style="width:100%;">
      <div class="jd_field_row_compact" style="">
        <span class="jd_field_title">{created date title}</span>
        <span class="jd_field_value_compact">{created date value}</span>
      </div>
      <div class="jd_field_row_compact" style="">
        <span class="jd_field_title">{modified date title}</span>
        <span class="jd_field_value_compact">{modified date value}</span>
      </div>
      <div class="jd_field_row_compact" style="">
        <span class="jd_field_title">{release title}</span>
        <span class="jd_field_value_compact">{release}</span>
      </div>
      <div class="jd_field_row_compact" style="">
        <span class="jd_field_title">{filesize title}</span>
        <span class="jd_field_value_compact">{filesize value}</span>
      </div>
      <div class="jd_field_row_compact" style="">
        <span class="jd_field_title">{created by title}</span>
        <span class="jd_field_value_compact">{created by value}</span>
      </div>
      <div class="jd_field_row_compact" style="">
        <span class="jd_field_title">{hits title}</span>
        <span class="jd_field_value_compact">{hits value}</span>
      </div>
    </div>
  </div>
<!-- download preview -->
  <div class="jd_preview" style="">{preview_player}{mp3_id3_tag}</div>
</div>

```

Settings: The Global Configuration was amended as follows:

Menus: Disable "Show Page Heading"
Articles: Disable "Article Info Title", "Category", "Author", "Publish Date", "Navigation" and "Hits"
Text filters: Managers and SuperUsers are set up with a Custom Forbidden List - this list has the same attributes as the Default List, and includes all the same tags apart from embed and iframe, which are now allowed

Extensions: The following Joomla extensions were installed:

Akeeba Backup - this is used for taking regular backups of the site, which allows us to restore the site if it becomes corrupted or if we wish to move it to another location
jDownloads - displays Archive pages as file and folder tree
sigplus - displays image galleries
JCE Editor - this is the selected Article Editor
boxplus - this is used to display material (images, video, audio clips, etc.) in pop-up "lightbox" windows
Easy Folder Listing - this extension allows a list of files in a server folder to be displayed, as links
Phoca Maps - the extension selected for displaying Google Maps in the website
Slideshow CK - this extension displays the event banners on the Events page

Articles Anywhere - this extension is used to display the "Latest News" article on the Home Page

Modules: Several Site Modules were created, and others deleted or modified. These are used to display special content on the site or on individual pages

Login module: Remove this standard module (ability to log in to site front end not required)			
Main Menu: The default Main Menu module was adapted to display the main menu (as an expandable hamburger icon) on all pages. Settings as follows (those modified from the default highlighted in red:			
Select Menu	Main Menu	Base Item	Current
Start Level	1	End Level	3
Sum menu items	Show	Title	Show
Position	below-top	Ordering	1. Main Menu
Module Assgn.	On all pages	Layout	Collapsible dropdown
Module tag	div	Header tag	h3
Home logo: This displays the site logo and site title on all pages. Created a custom module, with following content:			
<pre><div class="mod_header_logo"><h1>Sutton Poyntz</h1></div></pre>			
and settings as follows:			
Title	Show	Position	below-top
Ordering	2. Home logo	Module Assgn.	On all pages
Prepare content	No	Bckgrnd image	None
Layout	Default	Module tag	div
Header tag	h3		
Search: This displays a Search icon on all pages. Create a Search module, with Search Field Label set to hidden. Settings as follows:			
Search Filter	No filter	Search suggstns	Show
Advanced search	Hide	Search button	Show
OpenSearch	Yes	Set ItemID	Select a menu item
Title	Show	Position	below-top
Ordering	2. Home logo	Module Assgn.	On all pages
Layout	Default	Module tag	div
Header tag	h3		
Breadcrumbs: Amend settings as follows:			
You are here	Show	Home	Show
Last	Show	Title	Show
Position	menu	Ordering	1. Breadcrumbs
Module Assgn.	On all pages	Layout	Default
Module tag	div	Header tag	h3
Local menus: These display lists of pages that are not shown in the Main Menu. Create local menus, as required, and create local menu modules to display whole local menu in Dropdown layout, after Breadcrumbs in menu position. At present there are three local menus: History Group Menu, Biodiversity Group Menu, and Society Menu. Settings:			
Select Menu	(as required)	Base Item	Current
Start Level	1	End Level	All
Sum menu items	Show	Title	Hide
Position	menu	Ordering	(after 1. Breadcrumbs)
Module Assgn.	On selected pages	Layout	Dropdown
Module tag	div	Header tag	h3
Footer: The footer is displayed on all pages. Create custom Footer module, in footer position, with links, copyright statement etc.			
Content:			
<pre><table border="0" style="border-collapse: collapse; width: 100%;"> <tbody> <tr> <td> <p>Sutton Poyntz, a peaceful and picturesque place to live,
alive with community pride and spirit</p> <p>© 2022-2023 - Sutton Poyntz Society</p> </td> <td style="text-align: right;"> <p>Site Map
<a href="https://en-gb.face-</pre>			

<pre>book.com/groups/3184633935095478/">Community Support Group</p> </td> </tr> </tbody> </table> Settings:</pre>			
Title	Show	Position	footer
Module Assgn.	On all pages	Prepare content	No
Bckgrnd image	None	Layout	Default
Module tag	div	Header tag	h3
Site Map Main Menu and Site Map Guidance Menu: These display a list of menu items on the Site Map and Error 404 pages. Settings:			
Menu	Main Menu or Guidance Menu		
Base item	Current		
Start Level	1		
End level	All		
Sub-menu items	Show		
Menu Class	menu_sitemap		
Events module, of Slideshow CK type, with some sample event banners, displaying at position events. This displays the event banners on the Events page. Settings:			
Position	events	Module Assgn.	No pages
Source	images and text as required		
Theme	default	Alignment	center
Loader icon	none	Width	50%
Height	25%	Min-height	350
Navigation	mouseover	Skin	amber
Thumbnails	No	Pagination	No
Show caption	Yes	Show title	Yes
Show description	Yes	Strip HTML tags	Yes
Link position	Whole slide	Link auto	No
Link target	Same window	Animation	scrollRight
Display time	3500	Transition	1000
Caption	moveFromLeft	Contain images	Yes
Autoplay	Yes	Pause	Yes
Keyboard control	No	Page background	No
Other settings	as default		
Newsbite archive: Displays a complete category of articles - all articles of category News items:			
Mode	Normal	Date filtering	Off
Count	0	Order by	Title
Featured articles	Show	Order direction	Descending
Filtering Type	Inclusive	Grouping	None
Category	News items	Linked titles	Display
Child categories	Include	Layout	Default
Depth	2		
Author filter	Inclusive		
Author alias filt.	Inclusive		
Society Agenda and Society Minutes modules: These use the Easy Folder Listing extension to display lists of files in single folders. Settings:			
Parent folder	images		
Location	[appropriate folder location]		
All settings	set to default		

Article contents. The following is a description of how the various special web pages have been created:

```
Section header articles (Home, What's On, Amenities, Community, Our Village, Environment) are structured (when viewed as Code) as follows:
<div class="overlay_cont" >
  <div class="overlay_img2" style="min-height: [xxx]px;">
    
  </div>
  <div class="overlay_btm">
    &nbsp;
```

```

</div>
<div class="overlay_txt" style="background-color:[ccc];">
  <h1>[hhh]</h1>
  <p>[sss]</p>
  <table style="border: 2px solid #ffffff; margin-left: 5%; margin-right: 5%; padding: 5px;">
    <tbody>
      <tr>
        <td>[ttd]</td>
      </tr>
    </tbody>
  </table>
</div>
</div>

```

Here:

- [xxx] is the minimum height of the image container, chosen to ensure the content does not overflow vertically as the window width is varied
- [ggg] is the location of a background image
- [ccc] is a semi-transparent colour chosen so that the white text displays clearly over the background image
- [hhh] is a page title
- [sss] is a page sub-title
- [ttd] is the content of a table, consisting generally of two rows of two or three columns, containing headline and descriptive text with links to other articles

The values are as follows:

Home:	[xxx] = 440px [ggg] = home_background2.jpg [ccc] = #1d0e0355 [hhh] = Welcome to Sutton Poyntz [sss] = A village near Dorset's world heritage coast and the seaside town of Weymouth [ttd] contains links to What's On (plus lower level links to News, Events and Diary), Amenities (plus Village Halls, Pubs and Churches), Community (plus SP Society, Clubs & Groups, Street Fayre, and Projects), Our Village (plus Maps, Leaflets, History and Environment), Gallery and Archive
What's on	[xxx] = 240px [ggg] = mission_hall_background.webp [ccc] = #1d0e0355 [hhh] = What's on [sss] = Village news and events [ttd] contains links to News, Events (plus forthcoming events and regular events), and Diary
Amenities	[xxx] = 245px [ggg] = events_background.webp [ccc] = #1a280378 [hhh] = Amenities [sss] = Village halls and other facilities [ttd] contains links to Village Halls, Pubs (plus The Springhead), and Churches (plus St Andrew's Church)
Community	[xxx] = 410px [ggg] = community_background_b.jpg [ccc] = #1d0e0355 [hhh] = Community [sss] = Village groups and organisations, and village projects [ttd] contains links to Sutton Poyntz Society, Street Fayre, Village Groups (plus Biodiversity Group, History Group, and other groups), and Community projects
Our Village	[xxx] = 380px [ggg] = welcome_background.webp [ccc] = #1d0e0355 [hhh] = Our Village [sss] = Information about the village and its surrounding countryside, and about how we try to care for its beauty [ttd] contains links to Village Maps, Information Leaflets, History, and Environment (plus Countryside, Wildlife, and Planning)
Environment	[xxx] = 310px [ggg] = P1010277a.jpg

	[ccc] = #1d0e0355 [hhh] = Environment [sss] = Care of the countryside and of the village [ttt] contains links to Countryside, Wildlife, and Planning																												
<p>News: There is no Article for this page. Instead, this page is created by a News Menu item, in the form of a Category Blog to display all articles in the category "News items". The setup of this Menu item is as follows:</p> <table border="1"> <thead> <tr> <th>Menu Item Type</th> <th>Category Blog</th> <th>Category</th> <th>News items</th> </tr> </thead> <tbody> <tr> <td>Category Descr</td> <td>Show</td> <td>Leading Articles</td> <td>8</td> </tr> <tr> <td>Intro Articles</td> <td>0</td> <td>Article Class</td> <td>boxed</td> </tr> <tr> <td>Columns</td> <td>1</td> <td>Column Directn</td> <td>Across</td> </tr> <tr> <td>Links</td> <td>0</td> <td>Article Order</td> <td>Title reverse alphabetical</td> </tr> <tr> <td>Layout</td> <td>Default</td> <td>Title</td> <td>Hide</td> </tr> <tr> <td>Menu Item Title</td> <td>Yes</td> <td>Display in menu</td> <td>Yes</td> </tr> </tbody> </table>		Menu Item Type	Category Blog	Category	News items	Category Descr	Show	Leading Articles	8	Intro Articles	0	Article Class	boxed	Columns	1	Column Directn	Across	Links	0	Article Order	Title reverse alphabetical	Layout	Default	Title	Hide	Menu Item Title	Yes	Display in menu	Yes
Menu Item Type	Category Blog	Category	News items																										
Category Descr	Show	Leading Articles	8																										
Intro Articles	0	Article Class	boxed																										
Columns	1	Column Directn	Across																										
Links	0	Article Order	Title reverse alphabetical																										
Layout	Default	Title	Hide																										
Menu Item Title	Yes	Display in menu	Yes																										
<p>Village Diary - This is set up to display the Google Calendars for the Society, Mission Hall and Church (as well as for public holidays), by means of the following code</p> <pre><p style="text-align: center; margin-top: 16px;"><iframe src="https://calendar.google.com/calendar/embed?height=500&wkst=1&bgcolor=%23ffffff& ctz=Europe%2FLondon&hl=en_GB&showTitle=0&src=c3V0dG9uLnBveW50ei5taXNzaW 9uaGFsbEBnbWFpbC5jb20&src=ZW4tZ2ludWsjG9saWRheUBncm91cC52LmNhbGVuZGFyLmdv b2dsZS5jb20&src=c3V0dG9uLnBveW50ei53ZWJzaXRlQGdtYWlsLmNvbQ&src=bmV3c2xlDH RlcnhleW1vdXRocmlkZ2V3YXlAZ21haWwuY29t&color=%23039BE5&color=%23E4C441& mp;color=%23D50000&color=%239045a8" width="90%" height="500" style="border: solid 1px #777;" frameborder="0" scrolling="no"></iframe></p></pre>																													
<p>Forthcoming Events - This page displays a "forthcoming events" slide show, by including the command <code>{loadposition events}</code></p>																													
<p>Society Meetings: Each year's worth of Minutes is displayed using a command of the form <code>{loadposition societyminutes2023}</code></p>																													
<p>Biodiversity Video Diary: Each video playlist is played by means of a link to a YouTube page, of the form <code>https://www.youtube.com/embed?listType=playlist&list=PLda_tXFlrspmfwxu1b-SkWNuo9K47pWr_S&rel=0&modestbranding=1</code> where the string beginning PL is the YouTube identifier for the playlist.</p>																													
<p>History maps: The maps are displayed using a command of the form <code>{phocamaps view=map?id=3 kmlfile=1}</code> Using the Phocamaps component, a number of maps are defined. They are all centred at latitude 50.65152, longitude -2.41770, at Google Maps zoom factor 14, in a window of width 80%, height 500px; They are all displayed as Roadmaps, with normal controls located top-left. Each one has an associated KML file which generates an overlay with the appropriate history map. The KML files are held in a folder /phocamapskml (which cannot be accessed via Joomla's Media facility). Each of these KML files loads a map overlay image which is held in folder /images/History/Maps.</p>																													
<p>Site Map and Are you lost? (the Error 404 page): These pages both display a list of web-pages by including the following command: <code>{loadposition sitemapmain}</code></p>																													
<p>Gallery pages: The gallery pages that display images contain commands of the following form: <code>{gallery cols=6 rotator_delay=3000}{folder_name}{/gallery}</code> Here, [folder_name] is the location of the folder containing the images to be displayed. The value of the cols parameter specifies how many image thumbnails are displayed side by side. If there are 6 or fewer images, then the rotator delay parameter should be set to zero so the software does not try to scroll through the images.</p>																													
<p>Newsbite archive: The list of all Newsbites is displayed by including the command <code>{loadposition archive-newsbite}</code></p>																													